

Wisconsin Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE

	State
MONTH*	
August	393
August Rate per 100,000	7.6
YEAR TO DATE (YTD)	
Count	2951
Rate (per 100,000)	56.9
% of total ambulance runs	0.6
Naloxone doses administered	3158


*The most recent month available

Figure 1. Wisconsin Suspected Opioid Overdose by Age and Gender, August 2026



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Wisconsin Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Southeastern Region Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE

	Region	State
MONTH*		
August	239	393
August Rate per 100,000	13.0	7.6
YEAR TO DATE (YTD)		
Count	1758	2951
Rate (per 100,000)	95.3	56.9
% of total ambulance runs	0.8	0.6
Naloxone doses administered	1703	3158


*The most recent month available

Figure 1. Southeastern Region Suspected Opioid Overdose by Age and Gender, August 2026



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Southeastern Region Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Jefferson County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE

	County	Region	State
MONTH*			
August	3	239	393
August Rate per 100,000	3.9	13.0	7.6
YEAR TO DATE (YTD)			
Count	21	1758	2951
Rate (per 100,000)	27.5	95.3	56.9
% of total ambulance runs	0.5	0.8	0.6
Naloxone doses administered	36	1703	3158


*The most recent month available

Figure 1. Jefferson County Suspected Opioid Overdose by Age and Gender, August 2026



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Jefferson County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Kenosha County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE

	County	Region	State
MONTH*			
August	4	239	393
August Rate per 100,000	2.7	13.0	7.6
YEAR TO DATE (YTD)			
Count	56	1758	2951
Rate (per 100,000)	38.1	95.3	56.9
% of total ambulance runs	0.4	0.8	0.6
Naloxone doses administered	55	1703	3158


*The most recent month available

Figure 1. Kenosha County Suspected Opioid Overdose by Age and Gender, August 2026



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Kenosha County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Milwaukee County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE

	County	Region	State
MONTH*			
August	202	239	393
August Rate per 100,000	25.7	13.0	7.6
YEAR TO DATE (YTD)			
Count	1454	1758	2951
Rate (per 100,000)	184.8	95.3	56.9
% of total ambulance runs	1.0	0.8	0.6
Naloxone doses administered	1319	1703	3158


*The most recent month available

Figure 1. Milwaukee County Suspected Opioid Overdose by Age and Gender, August 2026



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Milwaukee County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Ozaukee County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE

	County	Region	State
MONTH*			
August	2	239	393
August Rate per 100,000	2.4	13.0	7.6
YEAR TO DATE (YTD)			
Count	17	1758	2951
Rate (per 100,000)	20.7	95.3	56.9
% of total ambulance runs	0.3	0.8	0.6
Naloxone doses administered	13	1703	3158


*The most recent month available

Figure 1. Ozaukee County Suspected Opioid Overdose by Age and Gender, August 2026



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Ozaukee County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Racine County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE

	County	Region	State
MONTH*			
August	9	239	393
August Rate per 100,000	5.3	13.0	7.6
YEAR TO DATE (YTD)			
Count	70	1758	2951
Rate (per 100,000)	40.9	95.3	56.9
% of total ambulance runs	0.4	0.8	0.6
Naloxone doses administered	122	1703	3158


*The most recent month available

Figure 1. Racine County Suspected Opioid Overdose by Age and Gender, August 2026



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Racine County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Walworth County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
August	0	239	393
August Rate per 100,000	0.0	13.0	7.6
YEAR TO DATE (YTD)			
Count	11	1758	2951
Rate (per 100,000)	11.6	95.3	56.9
% of total ambulance runs	0.2	0.8	0.6
Naloxone doses administered	18	1703	3158


*The most recent month available

Figure 1. Walworth County Suspected Opioid Overdose by Age and Gender, August 2026



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Walworth County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Washington County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE

	County	Region	State
MONTH*			
August	5	239	393
August Rate per 100,000	4.1	13.0	7.6
YEAR TO DATE (YTD)			
Count	32	1758	2951
Rate (per 100,000)	26.2	95.3	56.9
% of total ambulance runs	0.4	0.8	0.6
Naloxone doses administered	35	1703	3158


*The most recent month available

Figure 1. Washington County Suspected Opioid Overdose by Age and Gender, August 2026



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Washington County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Waukesha County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE

	County	Region	State
MONTH*			
August	14	239	393
August Rate per 100,000	3.8	13.0	7.6
YEAR TO DATE (YTD)			
Count	97	1758	2951
Rate (per 100,000)	26.7	95.3	56.9
% of total ambulance runs	0.4	0.8	0.6
Naloxone doses administered	105	1703	3158


*The most recent month available

Figure 1. Waukesha County Suspected Opioid Overdose by Age and Gender, August 2026



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Waukesha County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

